KINGWORLD

QINGDAO KINGWORLD CONTROL CO., LTD.

Office Add:A-801,Powerise Valley,No.20 Zhuzhou Road,Qingdao,China
Factory Add: Chenggezhuang Industiral Area,Zhucheng,China
Tel: 86 532 8099 1966
Fax:86 532 8099 6077
Email:info@kingworldtyre.com
P.C.:266101
Http://www.kingworldtyre.com
Http://www.qdkingworld.com
Http://www.qdkingworld.com.cn

Sales Manager:Ally Wang
Mob:0086185 6181 2777
Whatsapp / Wechat:0086-185 6181 2777
Email:ally@qdkingworld.com
Skype:coolally2008
Facebook:ally@qdkingworld.com

KINGWORLD
VGOOD 威冠
Motorcycle Tyres & Tubes
ISO9001:2008

王 莉 Ally Wang
Mobile: +86 185 6181 2777
Qingdao Kingworld Control Co., Ltd.
Tel: +86-532-8099 1966
Fax: +86-532-8099 6077
Mail: ally@qdkingworld.com
Http://www.kingworldtyre.com

VGOOD 威冠

KINGWORLD

青岛金沃德控制有限公司
QINGDAO KINGWORLD CONTROL CO., LTD.



ISO9001 | U. S. A DOT | F000369 | SONCAP NIGERIA | SNI INDONESM | SGS

2019.01

PROVIDE THE WORLD WITH
SAFE & RELIABLE TYRE PRODUCTS

Company Introduction

Qingdao Kingworld Control Co., Ltd., was established in 2009 in the beautiful seaside city of Qingdao, China. It is a manufacturer specialized in producing motorcycle tire, ATV tire and bicycle tire. Its famous brands 'VGOOD', 'KINGWORLD' and 'BESAFE' are exported to more than 30 countries all over the world. The growing competitiveness of Chinese industry, with its consistent quality and improved production processes, placed Kingworld as a brand of present and future.

Faithful adherence to global quality standards, was certified by the awards of ISO 9001 quality management system certification, CCC of China, U.S. DOT or SONCAP of Nigeria, among others.

Its principle is 'clients first, quality first, price first'.

Introduccion

Qingdao Kingworld Control Co., Ltd. es un fabricante chino de neumaticos especializado en la fabricacion de ruedas para motocicletas, ATVs y bicicletas. Fundada en el año 2009 en la ciudad costera de Qingdao, esta empresa exporta sus productos bajo las marcas 'VGOOD', 'KINGWORLD' y 'BESAFE' a mas de 30 paises diferentes en todo el mundo. La creciente competitividad de la industria china, con sus consistentes mejoras de calidad y procesos de produccion situan a Kingworld como una marca de presente y futuro.

La rigurosa adaptacion a los estándares mundiales de calidad, ha sido comprobada con las certificaciones ISO 9001, la CCC de China, DOT de EE.UU. o SONCAP de Nigeria, entre otras.

Su lema es 'clientes primero, calidad primero, precio primero'.

KINGWORLD CONTROL(QINGDAO) CO.,LTD

MOTORCYCLE TYRE

BFV001

SIZE		TYPE
2.25-17	2.50-17	TT/TL
2.50-18	2.75-17	TT/TL
2.75-18	3.00-21	TT/TL

BFV002

SIZE		TYPE
2.50-17	2.75-17	TT/TL
2.50-18	2.75-18	TT/TL

BFV003

SIZE		TYPE
2.50-17	2.75-17	TT/TL

BFV004

SIZE	TYPE
2.50-17	TT/TL

BFV005

SIZE	TYPE
2.50-17	TT/TL

BFV006

SIZE		TYPE
3.00-17	3.00-18	TT/TL
3.50-16		TT/TL

BFV007

SIZE	TYPE
2.75-17	TT/TL
3.25-18	TT/TL

BFV008

SIZE		TYPE
2.50-17	2.75-17	TT/TL
3.00-14	3.00-17	TT/TL
3.00-18		TT/TL

BFV009

SIZE		TYPE
2.50-17	2.75-17	TT/TL
2.75-18	3.00-17	TT/TL
3.00-18	90/80-14	TT/TL

BFV010

SIZE	TYPE
2.25-17	TT/TL

BFV011

SIZE		TYPE
2.50-17	2.50-18	TT/TL
2.75-17	2.75-18	TT/TL

BFV012

SIZE	TYPE
2.75-14	TT/TL
3.00-14	TT/TL

BFV013

SIZE		TYPE
2.75-16	80/90-16	TT/TL
100/90-17		TT/TL

BFV014

SIZE	TYPE
2.50-17	TT/TL
2.75-17	TT/TL

BFV015

SIZE		TYPE
2.50-17	2.75-16	TT/TL
2.75-17	110/80-10	TT/TL
90/90-10	100/90-10	TT/TL
90/90-12		TT/TL

BFV016

SIZE		TYPE
2.50-17	3.00-18	TT/TL
3.00-17		TT/TL

MOTORCYCLE TYRE

BFV017

SIZE	TYPE
2.75-18	TT/TL

BFV018

SIZE	TYPE
2.75-18	TT/TL

BFV019

SIZE		TYPE
2.75-18	3.25-18	TT/TL
3.50-16	3.50-18	TT/TL

BFV020

SIZE		TYPE
3.00-17	3.00-18	TT/TL

BFV021

SIZE	TYPE
3.00-17	TT/TL
3.00-18	TT/TL

BFV022

SIZE		TYPE
2.75-17	3.00-17	TT/TL

BFV023

SIZE		TYPE
2.75-21	80/100-21	TT/TL

BFV024

SIZE	TYPE
2.75-17	TT/TL

BFV025

SIZE		TYPE
2.50-17	2.50-18	TT/TL
3.00-18	3.00-17	TT/TL
3.50-16		TT/TL

BFV026

SIZE		TYPE
3.00-17	3.00-18	TT/TL

BFV027

SIZE		TYPE
3.00-17	3.00-18	TT/TL

BFV028

SIZE	TYPE
2.25-17	TT/TL
2.50-17	TT/TL

BFV029

SIZE		TYPE
2.75-17	2.75-18	TT/TL
3.00-17	3.00-18	TT/TL
4.10-18		TT/TL

BFV030

SIZE		TYPE
3.00-17	3.00-18	TT/TL

BFV031

SIZE		TYPE
3.00-17	3.00-18	TT/TL

BFV032

SIZE		TYPE
3.00-17	3.00-18	TT/TL

KINGWORLD

KINGWORLD CONTROL(QINGDAO) CO.,LTD

MOTORCYCLE TYRE

BFV033

SIZE		TYPE
2.50-17	2.75-17	TT/TL
3.00-17		TT/TL

BFV034

SIZE	TYPE
3.50-18	TT/TL

BFV035

SIZE		TYPE
3.00-17	3.00-18	TT/TL
4.10-18		TT/TL

BFV036

SIZE	TYPE
4.00-8	TT/TL

BFV037

SIZE	TYPE
4.00-8	TT/TL

BFV038

SIZE	TYPE
3.00-17	TT/TL
3.00-18	TT/TL

BFV039

SIZE	TYPE
3.00-17	TT/TL
3.00-18	TT/TL

BFV040

SIZE	TYPE
4.50-10	TT/TL

BFV041

SIZE		TYPE
135-10	4.00-10	TT/TL

BFV042

SIZE	TYPE
3.00-17	TT/TL

BFV043

SIZE		TYPE
3.00-17	4.00-8	TT/TL

BFV044

SIZE		TYPE
3.50-18	3.00-18	TT/TL
100/80-18	110/90-16	TT/TL
90/90-18		TT/TL

BFV045

SIZE		TYPE
3.00-17	3.00-18	TT/TL

BFV046

SIZE		TYPE
3.50-10	100/90-10	TT/TL

BFV047

SIZE	TYPE
2¼-17	TT/TL

BFV048

SIZE		TYPE
190/55-17	190/50-17	TT/TL
200/50-17	200/55-17	TT/TL

Email: ally@qdkingworld.com Http://www.kingworldtyre.com Http://www.qdkingworld.com.cn Tel: +86-185 6181 2777

MOTORCYCLE TYRE

BFV049

SIZE	TYPE
3.00-17	TT/TL

BFV050

SIZE	TYPE
90/90-10	TT/TL

BFV051

SIZE	TYPE
2.75-18	TT/TL

BFV052

SIZE	TYPE
2.25-19	TT/TL

BFV053

SIZE	TYPE
3.00-10	TT/TL
3.50-10	TT/TL

BFV054

SIZE	TYPE
3.00-10	TT/TL

BFV055

SIZE		TYPE
2.75-17	2.50-17	TT/TL
2.50-18	3.00-17	TT/TL

BFV056

SIZE	TYPE
3.00-17	TT/TL
3.00-18	TT/TL

BFV057

SIZE	TYPE
110/80-19	TT/TL
150/70-17	TT/TL.

BFV058

SIZE	TYPE
130/60-13	TT/TL

BFV059

SIZE	TYPE
90/90-15	TT/TL

BFV060

SIZE	TYPE
3.00-17	TT/TL
3.00-18	TT/TL

BFV061

SIZE	TYPE
2.75-18	TT/TL

BFV062

SIZE	TYPE
70/90-14	TT/TL

BFV063

SIZE	TYPE
120/90-16	TT/TL
120/80-16	TT/TL

BFV064

SIZE	TYPE
3.50-10	TT/TL

KINGWORLD CONTROL(QINGDAO) CO.,LTD

MOTORCYCLE TYRE

BFV065

SIZE		TYPE
3.50-10	3.00-10	TT/TL

BFV066

SIZE	TYPE
3.00-18	TT/TL

BFV067

SIZE	TYPE
4.10-18	TT/TL
2.75-19	TT/TL

BFV068

SIZE	TYPE
4.00-8	TT/TL

BFV069

SIZE	TYPE
4.00-8	TT/TL

BFV070

SIZE	TYPE
4.00-8	TT/TL

BFV071

SIZE	TYPE
3.00-18	TT/TL

BFV072

SIZE			TYPE
3.25-19	3.50-18	4.00-17	TT/TL
4.00-18	4.00-19	4.50-17	TT/TL
4.50-18	4.50-19	5.00-15	TT/TL
5.00-16	5.00-17	170/80-15	TT/TL
180/65-16		180-80-14	TT/TL

BFV073

SIZE		TYPE
4.00-12	4.50-12	TT/TL
5.00-12		TT/TL

BFV074

SIZE	TYPE
3.00-18	TT/TL

BFV075

SIZE	TYPE
4.60-17	TT/TL
120/100-17	TT/TL

BFV076

SIZE		TYPE
4.10-18	4.60-18	TT/TL
120/90-18	100/90-18	TT/TL
110/90-17		TT/TL

BFV077

SIZE			TYPE
70/90-17	80/80-18	90/90-17	TT/TL
90/80-18	90/90-18	2.50-18	TT/TL
2.75-18			TT/TL

BFV078

SIZE			TYPE
60/80-17	70/90-14	70/80-17	TT/TL
80/80-17	80/90-17	80/90-18	TT/TL
80/90-14	90/90-18	90/80-17	TT/TL
2.75-18	2.50-16		TT/TL

BFV079

SIZE	TYPE
3.00-17	TT/TL

BFV080

SIZE	TYPE
3.00-17	TT/TL

Email: ally@qdkingworld.com Http://www.kingworldtyre.com Http://www.qdkingworld.com.cn Tel: +86-185 6181 2777

MOTORCYCLE TYRE

BFV081

SIZE	TYPE
120/70-12 130/70-12 140/60-12	TT/TL
80/90-17 110/90-12 130/60-13	TT/TL

BFV082

SIZE	TYPE
90/80-14	TT/TL

BFV083

SIZE	TYPE
90/90-18	TT/TL

BFV084

SIZE	TYPE
80/90-14	TT/TL

BFV085

SIZE	TYPE
90/90-18	TT/TL

BFV086

SIZE	TYPE
90/90-18	TT/TL
2.75-18	TT/TL

BFV087

SIZE	TYPE
90/90-18	TT/TL

BFV088

SIZE	TYPE
90/90-18	TT/TL
3.25-18	TT/TL

BFV089

SIZE	TYPE
90/90-19	TT/TL

BFV090

SIZE	TYPE
80/100-21 90/90-21	TT/TL
90/100-21 2.75-21	TT/TL
3.00-21	TT/TL

BFV091

SIZE	TYPE
100/80-17	TT/TL

BFV092

SIZE	TYPE
110/80-17	TT/TL

BFV093

SIZE	TYPE
100/90-19 110/90-19	TT/TL
110/100-18 120/100-18	TT/TL

BFV094

SIZE	TYPE
110/90-18	TT/TL

BFV095

SIZE	TYPE
100/90-17 110/80-17	TT/TL
120/80-17 130/70-17	TT/TL
90/90-17 140/70-17	TT/TL

BFV096

SIZE	TYPE
110/90-16	TT/TL

KINGWORLD CONTROL(QINGDAO) CO.,LTD

MOTORCYCLE TYRE

BFV097

SIZE	TYPE
110/90-16	TT/TL

BFV098

SIZE	TYPE
2.75-18 90/90-18	TT/TL
130/80-18	TT/TL

BFV099

SIZE	TYPE
110/90-16 100/90-16	TT/TL
100/90-18 3.00-21 4.10-18	TT/TL
3.50-16 2.75-21 2.75-19	TT/TL

BFV100

SIZE	TYPE
110/90-17	TT/TL

BFV101

SIZE	TYPE
110/90-16	TT/TL
110/90-13	TT/TL
115/80-13	TT/TL

BFV102

SIZE	TYPE
110/90-16	TT/TL

BFV103

SIZE	TYPE
110/90-16	TT/TL
3.50-16	TT/TL

BFV104

SIZE	TYPE
140/60-17	TT/TL
140/70-17	TT/TL

BFV105

SIZE	TYPE
110/90-16	TT/TL

BFV106

SIZE	TYPE
110/90-16 3.00-17	TT/TL
3.00-18	TT/TL

BFV107

SIZE	TYPE
110/90-16	TT/TL

BFV108

SIZE	TYPE
110/90-16	TT/TL

BFV109

SIZE	TYPE
180/55-17	TT/TL

BFV110

SIZE	TYPE
110/90-18 110/100-18	TT/TL
120/100-18 4.10-18	TT/TL
4.60-18	TT/TL

BFV111

SIZE	TYPE
120/70-12 130/60-13	TT/TL
3.50-10	TT/TL

BFV112

SIZE	TYPE
120/90-10	TT/TL
130/90-10	TT/TL

Email: ally@qdkingworld.com Http://www.kingworldtyre.com Http://www.qdkingworld.com.cn Tel: +86-185 6181 2777

MOTORCYCLE TYRE

BFV113

SIZE	TYPE
120/70-12	TT/TL
130/70-12	TT/TL

BFV114

SIZE	TYPE
100/60-12	TT/TL
130/60-13	TT/TL
130/70-13	TT/TL

BFV115

SIZE	TYPE
130/70-17	TT/TL
130/80-17	TT/TL

BFV116

SIZE	TYPE
110/80-14	TT/TL
130/80-17	TT/TL

BFV117

SIZE	TYPE
140/80-18	TT/TL

BFV118

SIZE	TYPE
2.75-18	3.00-17 TT/TL
3.00-18	100/90-17 TT/TL
110/90-16	110/90-17 TT/TL

BFV119

SIZE	TYPE
100/90-18	TT/TL

BFV120

SIZE	TYPE
2.50-18	TT/TL
2.75-18	TT/TL

BFV121

SIZE	TYPE
3.50-8	TT/TL

BFV122

SIZE	TYPE
3.60-18	TT/TL

BFV123

SIZE	TYPE
130/90-15	TT/TL

BFV124

SIZE	TYPE
110/90-17	TT/TL

BFV125

SIZE	TYPE
90/90-12	TT/TL

BFV126

SIZE	TYPE
3.00-17	TT/TL

BFV127

SIZE	TYPE
90/90-16	TT/TL
80/90-16	TT/TL
90/80-16	TT/TL

BFV128

SIZE	TYPE
90/90-17	TT/TL

KINGWORLD CONTROL(QINGDAO) CO.,LTD

MOTORCYCLE TYRE

BFV129

SIZE	PR
110/80-17	TT/TL
110/70-17	TT/TL

BFV130

SIZE	PR
110/70-17	TL
110/60-17	TL

BFV131

SIZE	PR
100/80-14	TT/TL

BFV132

SIZE	TYPE
90/90-14	TT/TL

BFV133

SIZE	TYPE
90/90-18	TT/TL

BFV134

SIZE	TYPE
90/90-18	TT/TL

BFV135

SIZE	TYPE
90/90-19	TT/TL

BFV136

SIZE	TYPE
80/100-21	100/90-19 TT/TL
110/90-19	120/80-19 TT/TL
120/90-19	TT/TL

BFV137

SIZE	TYPE
110/70-16	TT/TL

BFV138

SIZE	TYPE
3.00-17	TT/TL
3.00-18	TT/TL

BFV139

SIZE	TYPE
90/90-18	TT/TL

BFV140

SIZE	TYPE
120/100-18	2.50-17 TT/TL
2.75-17	TT/TL

BFV141

SIZE	TYPE
3.00-17	TT/TL
3.00-18	TT/TL

BFV142

SIZE	TYPE
3.00-17	TT/TL

BFV143

SIZE	TYPE
120/90-10	TT/TL

BFV144

SIZE	TYPE
120/70-12	TT/TL
130/60-12	TT/TL

Email: ally@qdkingworld.com Http://www.kingworldtyre.com Http://www.qdkingworld.com.cn Tel: +86-185 6181 2777

MOTORCYCLE TYRE

BFV145

SIZE	TYPE
100/90-10	TT/TL
120/60-13	TT/TL
110/70-16	TT/TL
130/60-13	TT/TL
120/70-12	TT/TL
120/80-14	TT/TL
130/70-12	TT/TL

BFV146

SIZE	TYPE
140/80-18	TT/TL

BFV147

SIZE	TYPE
3.00-18	TT/TL
100/90-17	TT/TL

BFV148

SIZE	TYPE
100/80-16	TT/TL

BFV149

SIZE	TYPE
110/70-16	TT/TL

BFV150

SIZE	TYPE
2.75-16	TT/TL

BFV151

SIZE	TYPE
2.75-17	TT/TL
2.75-18	TT/TL
3.00-17	TT/TL

BFV152

SIZE	TYPE
3.00-10	TT/TL

BFV153

SIZE	TYPE
3.00-17	TT/TL

KINGWORLD

KINGWORLD CONTROL(QINGDAO) CO.,LTD

产品包装 PACKING



外胎 MOTORCYCLE TYRE



MOTORCYCLE INNER TUBE (BUTYL AND NATURAL RUBBER)

型号 Model	型号 Model	型号 Model	型号 Model	型号 Model	型号 Model
2.75–21	2.25–17	3.00/3.25–17 95mm	110/100–17	12X1.75	8.50–8
4.00–19	2.00–17	3.00/3.25–17 90mm	90/100–17	14X1.75	6.50–8
3.75–19	1.85–17	3.00/3.25–18 95mm	80/100–17	12X2 $\frac{1}{4}$	4.00–8
3.25–19	3.50–16	3.00/3.25–18 90mm	80/90–17	16X1.75	3.50–8
3.00–19	3.25–16	2.50/2.75–18 78mm	70/90–17	16X2.125	3.25–8
2.75–19	3.00–16	2.50/2.75–17 78mm	60/100–17	16X2.5	3.00/3.25–8
2.25–19	2.75–16	80/100–21	90/100–16	16X3.0	13X3
2.00–19	2.50–16	80/90–21	80/100–16	18X2.125	250X8
4.50–18	2.25–16	110/90–19	80/90–16	18X2.5	3.50–7
4.10–18	3.50–15	100/100–19	70/90–16	20X1.75	6.50–6
3.75–18	3.00–14	100/90–19	60/100–16	20X2.125	6.00–6
3.50–18	2.75–14	90/100–19	130/90–15	22X1.75	5.00–6
3.25–18	2.50–14	80/100–19	110/80–14	24X1.75	4.00–6
3.00–18	2.25–14	80/90–19	80/100–14	24X1.95	3.50–6
2.75–18	5.00/5.50–12	60/100–19	70/100–14	24X2.125	3.50–5
2.50–18	4.50–12	130/80–18	70/90–14	26X1.75	4.00–4
2.25–18	3.00–12	120/90–18	60/100–14	26X1 $\frac{1}{2}$X1 $\frac{5}{8}$	3.50–4
4.50–17	5.00–10	110/100–18	130/60–13	26X1 $\frac{3}{8}$	3.00–4
3.25–17	4.00–10	100/100–18	130/90–13	26X2.125	2.50–4
3.00–17	3.50–10	90/100–18	80/100–12	28X1 $\frac{3}{8}$X1 $\frac{5}{8}$	200X50
2.75–17	3.00–10	90/90–18	90/100–12	28X1 $\frac{1}{2}$	6X2
2.50–17	2.75–10	80/100–18	80/100–10	28X1.75	16X8–7
	2.50–10	80/90–18	70/100–10		650B
		70/90–18	60/100–10		
		60/100–18			

KINGWORLD

KINGWORLD CONTROL(QINGDAO) CO.,LTD

Motorcycle Tyre Size

Tyre Size	Type	Tyre Size	Type	Tyre Size	Type	Tyre Size	Type
3.00-8	TT	100/60-12	TL	90/100-16	TT	90/80-17	TT/TL
3.50-8	TT	110/70-12	TL	100/90-16	TL	90/90-17	TT/TL
4.00-8	TT	110/100-12	TL	110/80-16	TL	100/70-17	TT
4.00-8 H	TT	120/70-12	TL	110/90-16	TT	100/80-17	TT/TL
1.35-10	TL	130/70-12	TL	110/90-16 R	TT	100/90-17	TL
1.45-10	TL	110/90-13	TT	120/80-16	TL	100/100-17	TL
2.75-10	TL	130/60-13	TT/TL	120/90-16	TL	110/70-17	TL
2.50-10	TT	130/70-13	TL	2.00-17	TT	110/80-17	TL
2.75-10	TT	2.25-14	TT	2.25-17	TT	110/90-17	TT
3.00-10	TT/TL	2.75-14	TT	2.50-17 F	TT	120/60-17	TL
3.50-10	TT/TL	3.00-14	TT	2.50-17	TT/TL	120/70-17	TL
4.00-10	TT	4.50-14	TT	2.75-17	TT/TL	120/80-17	TT
4.50-10	TT	5.00-14	TT	80/90-17	TT	120/90-17	TL
5.00-10	TT	60/100-14	TT	3.00-17	TT/TL	130/70-17	TL
6.00-10	TT	70/90-14	TT	3.00-17 R	TT	130/80-17	TT
60/100-10	TT	80/90-14	TT	3.25-17	TT	140/70-17	TL
70/100-10	TT	80/100-14	TT/TL	3.50-17	TT	150/60-17	TL
80/100-10	TT	90/80-14	TL	4.50-17	TT/TL	150/70-17	TL
70/100-10	TT	90/100-14	TT	4.60-17	TL	160/60-17	TL
90/90-10	TT/TL	100/70-14	TL	5.10-17	TL	2.25-18	TT
100/90-10	TL	110/80-14	TT	45/70-17	TT	2.50-18 F	TT
110/90-10	TL	120/70-14	TL	50/80-17	TT	2.50-18	TT
120/70-10	TL	140/70-14	TL	50/90-17	TT	2.75-18 F	TT
120/90-10	TL	3.50-15	TT	60/70-17	TT	2.75-18	TT/TL
130/90-10	TL	130/90-15	TT/TL	60/80-17	TT/TL	3.00-18	TT/TL
3.00-12	TT	150/80-15	TL	60/90-17	TT/TL	3.00-18 R	TT
3.50-12	TT	170/80-15	TL	60/100-17	TT	3.25-18	TT/TL
4.00-12	TT/TL	2.25-16	TT	70/70-17	TT	3.50-18 R	TT
4.50-12	TT/TL	2.50-16	TT/TL	70/80-17	TT/TL	360H18	TL
5.00-12	TT	2.75-16	TT/TL	70/90-17	TT/TL	3.75-18	TT
70/100-12	TT	3.00-16	TT	70/100-17	TT	4.10-18	TT/TL
80/100-12	TT	3.25-16	TT/TL	80/80-17	TT/TL	4.50-18	TT
90/100-12	TT	3.50-16	TT/TL	80/90-17	TT/TL	4.60-18	TT
90/90-12	TL	3.50-16 R	TT	80/100-17	TT	50/80-18	TT
80/90-18	TT/TL	360H16	TL	2.25-19	TT	90/90-19	TT/TL
80/100-18	TT	110/80-18	TL	2.75-19	TT	100/90-19	TT/TL
90/80-18	TL	110/90-18	TT	3.00-19	TT	110/90-19	TT/TL
90/90-18	TT/TL	110/100-18	TT/TL	3.25-19	TT	2.75-21	TT
90/90-18 R	TT	120/80-18	TT/TL	3.75-19	TT	80/100-21	TT/TL
90/100-18	TT/TL	120/90-18	TT	4.00-19	TT	80/90-21	TT
100/80-18	TL	130/80-18	TT	4.50-19	TT	90/90-21	TT/TL
100/90-18	TL	140/60-18	TL	70/100-19	TT	100/90 - 21	TT
100/100-18	TT/TL	150/60-18	TL	80/100-19	TL	2.00-19	TT